experience more together

Global.cfmoto.com

ZHEJIANG CFMOTO POWER CO., LTD.

NO.116,Wuzhou Road,Yuhang Economic Development Zone Hangzhou 311100,Zhejiang Province.

Tel:86-571-89265799 Facebook:CFMOTO_Official Instagram:cfmoto_world YouTube:CFMOTO



experience more together

> UFORCE 1000 UFORCE 1000XL P07----- P16

UFORCE 600

CEMOTO

UNIVERSAL

P 17 ----- P 18

TOWING

P 19 ----- P 20

SNOW PLOW

P 21 — P 22

CFMOTO POWER

P 23 ----- P 24

Front Bumper Assembly

Accessory Code: 5AS#-801100-6000
Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
 Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system

Rear Bumper Assembly

Accessory Code: 5AS#-801200-6000 Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system

Nerf Bars Assembly

Accessory Code: 5AS#-801300-6000 Features:

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean

HDPE Skid Plate Assembly

Accessory Code: 5ASV-804300-6000 \ 5ASV-804300-6001 Features:

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 600 perfectly
- *Skid plate (5ASV-804300-6000) is for 2022MY and prior UFORCE 600. *Skid plate (5ASV-804300-6001) is for 2023MY UFORCE 600.







UFORCE

P 01



JFORGE 600

Side Mirrors Assembly

Accessory Code: 5ASV-805500-6000 Features:

- Perfect fit on UFORCE 600
- Wide range rear view
- Make UFORCE 600 ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories

Vehicle Cover

Accessory Code:85214Z-00100 Features:

- Made of UV-resistant solution black yarn-dyed Oxford PU
- Protects windshield and colored panels from abrasion
- Weather-resistant trailering cover protects your vehicle during storage and transportation
- Perfectly fit UFORCE 600 with or without CFMOTO accessories

Snorkel Assembly

Accessory Code: 5ASV-803100-6000 Features:

- Perfect protection against dust and rain
- Stable, quiet at low/high speed riding condition
- Make UFORCE 600 work well under harsh environment

Half Door Assembly Accessory Code: 5ASV-807000-6000

Features:

- Includes left half door and right half door
- Roto-mold doors can be well installed on vehicle
- The strong and durable doors provide a comfortable driving environment and let fresh air goes in
- Easy to install and un-install









UFUKCE OUU

Audio System

Accessory Code:5ASV-801000 Features:

- Purposely Engineered for CFMOTO UFORCE 600 Audio system specifically design for UFORCE 600 fitment
- High Contrast 160-Watt LCD Source Unit AM/FM, Bluetooth with Android phone and Apple iPod/iPhone control Built-in-five band equalizer
- Independent 2 x 6.5-inch Coaxial Speakers Composite construction midrange for deep and accurate midbass 0.75-inch titanium dome tweeter for crystal clear-high frequencies
- High Impact HDPE Composite Enclosure Ultra-compact design takes up minimal space
- LIFE SHIELD IPX Rated Fully protected against the elements



Cargo Bed Rack Assembly

Accessory Code:5ASV-806200-6000 Features:

- Add the space for loading more goods
- Can work with CFMOTO UFORCE 600 cargo box
- Durable, steel tube construction, E-coated with black powder coat
- With CF Connect, Easy to install and remove, Tool-less



Cargo Bed Box Assembly

Accessory Code: 5ASV-806100-6000 Features:

- Large storage capacity (48 Gallons, ~182 Liters)
- Durable, Heavy duty plastic, Stylish look
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- With 2 openable lids, easy to put goods in and take them out
- Lockable lid, No mounting holes inside of cargo box, Water tight seal
- With the integrated flat cover with rope holes, can put more goods on box





UF

P 03

Front Full Protection Bumper Assembly

Accessory Code: 5ASV-805800-6000

Features:

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install, Can be flip down for easy access to maintenance parts
- Integrate with the vehicle look
- Fully protect vehicle front, prevent headlight from branches or other
- debris scratching
- No interference with other accessories



Front Hood Rack Assembly

Accessory Code:5AS#-801100-6000 Features:

- Steel front hood rack is strong and durable, can take some goods on
- E-coated with black powder coat
- Easy to install
- Can be flip up for easy access to maintenance parts
- With installing CFConnect Base (9DQV-809100-3000), you can install front basket, front box, cooler box, tool holders or other accessories on front rack by CFConnect clamps (9DS#-809000-6000)

*must work with front full protection bumper (5ASV-805800-6000)



Left Full Door Assembly Accessory Code: 5ASV-807100-6000

Right Full Door Assembly

Accessory Code: 5ASV-807200-6000

Features:

- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal




Heater System Assembly

Accessory Code: 5ASV-802000-5000

Features:

- Includes 6 adjustable heat vents, can blow feet, face and front windshield
- Variable Fan speed, can constantly provide heat wind
- Look integrated into vehicle
- Keep cab warm and circulate air



Roof Liner Assembly

Features:

- Can work with audio system, overhead storage bag, windshield and LED lights
- Make the cabin more comfortable
- 5 pcs in 1 package

audio system, overhead storage bag, windshield and LED lights sold separately



Driver Heated Seat Assembly 🛒

- Accessory Code: 5ASV-805600-6000 Features:
- Single Seat Kit, includes 1 switch (on & off) and 1 temperature adjuster (low temperature
- high temperature)
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels: High: OFF- 70 °C, ON- 65 °C Low: OFF- 55 °C, ON- 50 °C
- The temperature of the seat surface makes the driver comfort in cold environment



Features:

Accessory Code: 5ASV-809100-6000

- Vehicle enhancement, reduce noise



Front Full Windshield Assembly

Accessory Code: 5ASV-805100-6000

- Made of impact-resistant polycarbonate • Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install
- and remove after initial installation



Front Half Windshield Assembly

Accessory Code: 5ASV-805300-6000 Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install
- and remove after initial installation


Rear Panel Assembly

Accessory Code: 5ASV-805200-6000 Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation







Accessory Code: 5ASV-805700-6000 Features:

- Single Seat Kit, includes 1 switch (on & off) and 1 temperature adjuster (low temperature
- high temperature)
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
- High: OFF- 70 °C, ON- 65 °C Low: OFF- 55 °C, ON- 50 °C
- The temperature of the seat surface makes the passenger comfort in cold environment



Front Bumper Assembly

Accessory Code: 5HY#-801100-1000 Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



UFORCE 1000&1000XL

Rear Bumper Assembly

Accessory Code: 5HY#-801200-1000 Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system

Nerf Bars Assembly – UFORCE 1000

Accessory Code: 5HY#-801300-1000 Features:

- Steel Tube diameter 50mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean

Nerf Bars Assembly-UFORCE 1000XL

Accessory Code: 5SY#-801300-6000 Features:

- Steel Tube diameter 50mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean









Side Mirrors Assembly

Accessory Code: 5HY#-805500-1200 Features:

- Perfect fit on UFORCE 1000 & UFORCE 1000 XL
- Wide range rear view
- Make vehicle ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield,
- and otheraccessories



Snorkel Assembly

Accessory Code: 5HY#-803000-1200 Features:

- Perfect protection against dust and rain • Stable, quiet at low/high speed riding condition
- Make UFORCE 1000 work well under harsh

environment



Vehicle Cover

Accessory Code: UNIS-850300 Features:

- Made of UV-resistant solution black yarn-dyed Oxford PU
- Protects windshield and colored panels from abrasion
- Weather-resistant trailering cover protects your vehicle during storage and transportation
- Perfectly fit UFORCE 1000 with or without CFMOTO accessories

1



Accessory Code:5HYV-807100-1000

Right Full Door Assembly

Accessory Code:5HYV-807200-1000

Features:

- For UFORCE 1000 only
- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal





Driver Heated Seat Assembly

Accessory Code:5HYV-805100-1000 Features:

- Single Seat Kit, includes 1 switch (ON Low Temperature - High Temperature - OFF)
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
- High: OFF- 70 °C, ON- 65 °C Low: OFF- 55 °C, ON- 50 °C
- The temperature of the seat surface makes the driver comfort in cold environment



Front Passenger Heated Seat Assembly

Accessory Code:5HYV-805200-1000 Features:

- Single Seat Kit, includes 1 switch (ON Low Temperature - High Temperature - OFF)
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
- High: OFF- 70°C, ON- 65°C Low: OFF- 55°C, ON- 50°C
- The temperature of the seat surface makes the passenger comfort in cold environment



P 09





Front Half Windshield Assembly

Accessory Code: 5SYV-805300-1000 Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Front Full Windshield Assembly

Accessory Code: 5SYV-805100-1000 Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly

Accessory Code: 5SYV-805200-1000 Features:

- Made of impact-resistant polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation





UFORCE 1000&1000XL

P 11

ORGE IVVVELIVVV

Left Full Power Door Assembly

Accessory Code:5HYV-807300-1000 Features:

- Automotive grade glass windows
- 360° sealing gasket offer a great seal and quiet, cozy riding environment
- Build in metal frame for extra sturdiness
- Ergonomic friendly design with less cabin intrusion and additional lower door bin storage
- E-power windows provide more premium tough
- Easy operate logic with door-mounted control switch



Right Full Power Door Assembly

Accessory Code:5HYV-807400-1000 Features:

- Automotive grade glass windows
- 360° sealing gasket offer a great seal and quiet, cozy riding environment
- Build in metal frame for extra sturdiness
- Ergonomic friendly design with less cabin intrusion and additional lower door bin storage
- E-power windows provide more premium tough
- Easy operate logic with door-mounted control switch



Half Doors Kit

CEMOTO

Accessory Code:5HYV-807500-1000 Features:

- Half doors kit includes left half door and right half door
- The rotational-molding half doors are light weight but strong and durable
- Half doors are designed for UFORCE 1000 and can be fit on UFORCE 1000 easily and perfectly
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000



P 12

*available for UFORCE 1000 only

Left Front Full Power Door Assembly

Accessory Code:5SYV-807100-6000 Features:

- Automotive grade glass windows
- 360° sealing gasket offer a great seal and quiet, cozy riding environment
- Build in metal frame for extra sturdiness
- Ergonomic friendly design with less cabin intrusion and additional lower door bin storage
- E-power windows provide more premium tough
- Easy operate logic with door-mounted control switch

Right Front Full Power Door Assembly

Accessory Code:5SYV-807200-6000 Features:

- Automotive grade glass windows
- 360° sealing gasket offer a great seal and quiet, cozy riding environment
- Build in metal frame for extra sturdiness
- Ergonomic friendly design with less cabin intrusion and additional lower door bin storage
- E-power windows provide more premium tough
- Easy operate logic with door-mounted control switch

Left Rear Full Power Door Assembly

Accessory Code:5SYV-807300-6000

Features:

- Automotive grade glass windows
- 360° sealing gasket offer a great seal and guiet, cozy riding environment
- Build in metal frame for extra sturdiness
- Ergonomic friendly design with less cabin intrusion and additional lower door bin storage
- E-power windows provide more premium tough
- Easy operate logic with door-mounted control switch

Right Rear Full Power Door Assembly

Accessory Code:5SYV-807400-6000

Features:

- Automotive grade glass windows
- 360° sealing gasket offer a great seal and guiet, cozy riding environment
- Build in metal frame for extra sturdiness
- Ergonomic friendly design with less cabin intrusion and additional lower door bin storage
- E-power windows provide more premium tough
- Easy operate logic with door-mounted control switch









Front Half Doors Kit

Accessory Code:5SYV-807500-6000 Features:

- Half doors kit includes front left half door and front right half door
- The rotational-molding half doors are light weight but strong and durable
- Half doors are designed for UFORCE 1000 XL and can be fit on UFORCE 1000 XL easily and perfectly
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000 XL

*available for UFORCE 1000 XL only




Rear Half Doors Kit

Accessory Code:5SYV-807600-6000 Features:

- Half doors kit includes rear left half door and rear right half door
- The rotational-molding half doors are light weight but strong and durable
- Half doors are designed for UFORCE 1000 XL and can be fit on UFORCE 1000 XL easily and perfectly
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000 XL

*available for UFORCE 1000 XL only



UFORCE 1000&1000XL



Accessory Code: 5HYV-805800-1000

- Features:
- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 perfectly

Features:

- Rear and Side vehicle protection Taillight Protection
- Anti-corrosion coating with durable coat finish
- Tough and Strong

- Features:
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain

Features:

- UFORCE 1000 XL cargo box
- powder coat



Cargo Bed Box Assembly

Accessory Code: 5HYV-806100-1000 Features:

- Large storage capacity (52.5 Gallons, ~199 Liters)
- Durable, Heavy duty plastic, Stylish look
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- With 2 openable lids, easy to put goods in and take them out
- Lockable lid, No mounting holes inside of cargo box,Water tight seal
- With the integrated flat cover with rope holes, can put more goods on box



HDPE Skid Plate Assembly (UFORCE 1000 XL)

Accessory Code: 5SYV-806800-1000

Features:

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 XL perfectly



- Features:

P 15


Cargo Bed Rack Assembly

Accessory Code: 5HYV-806200-1000

- Add the space for loading more goods
- Can work with CFMOTO UFORCE 1000 &
- Durable, steel tube construction, E-coated with black
- With CF Connect, Easy to install and remove, Tool-less

Rear Bumper and Nerf Bars (UFORCE 1000)

- Accessory Code: 5HY0-802000
- Made of φ 32mm steel pipe



Front Bumper and Rack (UFORCE 1000)

- Accessory Code: 5HY0-801000
- Features:
- Integrated rack extension
- Made of φ 32mm steel pipe
- Front vehicle protection
- Headlight Protection
- Anti-corrosion coating with durable coat finish
- Tough and Strong



Skid Plate Assembly (UFORCE 1000)

- Accessory Code: 5HY0-805200
- Made of high strength aluminum
- (thickness 3mm)



A-arm Protector Assembly

Accessory Code: 5HY0-805100 Features:

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain



Cargo Bed Wall Extender Assembly

- Accessory Code: 5HY0-803000
- Extend the capacity of dumping box
- Tough and Strong
- Anti-corrosion coating with durable coat finish
- This Cage need 12 units quick release clamps
- (5HY0-809100) to install









Center Mirror Assembly - Premium

Accessory Code: 5BWV-805600-5000 Features:

- Large range rear review, make vehicle ride more safety
- Aluminum mounting brackets
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories



Universal Audio System

Accessory Code:UNIS-850100 Features:

• 33.5 inch Universal Audio System

- High Contrast 160-Watt LCD Source Unit AM/FM. Bluetooth with Android phone and Apple iPod/iPhone control Built-in-five band equalizer
- High Impact HDPE Composite Enclosure Ultra-compact design takes up minimal space
- Integrated Touch Controlled Demo Light LED dome light provides necessary light inside your UTV
- LIFE SHIELD IPX Rated Fully protected against the elements

- Purposely Engineered for CFMOTO Overhead audio system specifically design for CFMOTO UTV and SSV fitment
- Composited 4 x 6.5-inch Coaxial Speakers Composite construction midrange for deep and accurate midbass 0.75-inch titanium dome tweeter for crystal clear-high frequencies





Accessory Code: 5HYV-800100-1000 Features:

- Large range illumination 360° around your vehicle
- ORB LED light is ideal for plowing, hunting, and night time work
- Mounted to left door upper hinge or right door upper hinge
- The light can be rotated up and rotated down easily as requires



Center Mirror Assembly

Accessory Code: 5HY#-805600-1200 Features:

- Perfect Fit on UFORCE
- Wide range rear view, make vehicle ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other accessories



Tools Box Assembly

Accessory Code: 5BYV-804100-1000 Features:

- Tool box can take the necessary tools and small items
- Use Velcro to lock the tool box on vehicle, easy to change the place
- With tool box, consumer can get the tool anytime and anywhere.
- L x W x H: 422 x 170 x 57mm (16.6 x 6.9 x 2.2 inch)



Features:

- Tool Holder FlexGrip[™] by ATV-TEK with CFConnect[™] system • A true custom fit for your lifestyle, use it for guns, bows, tools, or any other item.



Features:

- Zippered cargo areas with dust flaps keep items dry and clean Large storage capacity
- One special storage space designed for roadmap, phone and others which need to be accessed easilyEasy to install





CFMOTO Tool Holder, Pair

Accessory Code: 852114-00001

• CFMOTO riders have effortless installation and versatility thanks to a finger adjustable rotation of the grip and convenient mounting options with CFConnect™

Overhead Storage Bag Assembly

- Accessory Code: 5HYV-809200-1000
- Perfect Fit on roof of UFORCE 600 and UFORCE 1000

Winch Remote Controller

Accessory Code: 5HYV-801500-1000 Features:

- PEasy to install on UFORCE and ZFORCE
- Must work with CFMOTO winch
- Remote range is 15.2 meters
- Easy control winch working
- *it could be used on CFMOTO UFORCE or ZFORCE which equipped with CFMOTO winch



Oil Filter Kit

Accessory Code: 080V-808200-1000 Features:

- The kit includes 1 pcs oil filter (0800-011300-0004), 1 pcs oil seal ring (0800-014003), 1 pcs washer (0010-021014), 1 pcs washer (0JWA-021003) and 1 pcs bandana (TSCGN236)
- Make the service and maintenance be easy
- Apply to CFMOTO 400cc-1000cc CFORCE, UFORCE and ZFORCE

*washer (0JWA-021003) is for 800cc and 1000cc vehicle only *If apply this oil filter kit to other vehicles, you do not need to use this spacer. Please keep it in a safety place for future using



CFConnect Clamp Kit

Accessory Code: 9DS#-809000-6000 Features:

- This kit includes a pair of CFConnect clamps
- CFMOTO owns the patents of CFConnect Clamp
- CFConnect Clamp can be used on all CFMOTO vehicles for installing and un-installing CFMOTO accessories easily
- The clamps can be used to fix CFMOTO cargo boxes, baskets, cooler boxes and bed racks on vehicles firmly




Horn Kit

Accessory Code: 5ASV-801000-5000 Features:

- Easy to install on UFORCE and ZFORCE
- Horn switch is installed on the console, easy to touch and control
- Equip for safety driving







Winch Rope Fairlead

Accessory Code: 7030-150701 Features:

- Used with CFMOTO winch
- Aluminum fairlead reduces wear on wire rope for heavy attachment application

Synthetic Winch Rope

Accessory Code: 7020-800750 Features:

- High strength winch rope, pull up to 4500 lbs
- Rope length up to 12 meters
- Light weight, easy to carry
- Durable, sea water resistance, UV resistance and temperature difference repetition, etc
- Convenient, fast and safe operation





Tree Saver Strap

Accessory Code: 9DS#-808302-6000 Features:

- Large eyes with heavy duty chafe protection allow for easy rigging
- Bright yellow nylon provide excellent visibility when winching
- Center chafe protects from abrasion damage



Plow Strap

Accessory Code: 9DQV-808500-3000 Features:

- Apply to CFMOTO plow
- A reliable 45.6 inches (1.16m) length strap that replaces
- winch rope for lifting plow (Total length = 70.5 inches (1.79m)) 1.25 inches (32mm) Wide design reduces wear and tear on
- winch roller or fairlead

Made from durable polyester fiber material, can bear as much as 3200lbs pull capacity

*The other parts of the plow system need to be purchased separately



P 19

Hitch Kit (2", 136mm)

- Features:
- 136mm length towing bar
- Easy to install and remove

Accessory Code: 7000-808100

- 2 inch hitch kit for ATV/UTV
- (from pin shaft hole to hitch ball hole)
- E-coated with black powder coat



Hitch Kit (2", 290mm)

Accessory Code: 9AW#-808100 Features:

- 2 inch hitch kit for ATV/UTV
- 290mm length towing bar
- (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat





Trailer Socket & Adaptor Assembly

Accessory Code: 7020-800200-1000 Features:

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market





P 21

60" Plow Blade Assembly

Accessory Code: 9AWV-804300-2000 Features:

- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of CFMOTO vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way



72" Plow Blade Assembly

Accessory Code: 5HYV-804300-1000 Features:

- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of CFMOTO vehicle easily
- Increased sacrifice anodes for longer use of snow plows • E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and makethe task easier by sending the snow further out of the way



60" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

72" Plow Deflector Assembly

Accessory Code: 5HYV-804500-1000 Features:

- For CFMOTO Snow Plow
- Keeps snow from flying into your face
- Made of hard rubber
- Use metal plate and bolts to lock deflector on plow firmly
- Compatible with plow markers & fenders



Plow Fenders, Pair Accessory Code: 5HYV-804400-1000

Features:

Features: For UFORCE 600

- Wall Thickness: 6mm

- of snow plows

Features:

- Wall Thickness: 6mm

- Increased sacrifice anodes for longer use of snow plows • E-coated with black powder coat

• For CFMOTO plow, Sold in pairs • Wall Thickness: 3mm • Install on CFMOTO plow system easily • E-coated with black powder coat *The other parts of the plow system need to be purchased separately





Plow Mount Bracket Assembly

Accessory Code: 5ASV-804200-6000

• Install on the front of U6 easily and lock the plow push tube easily • Increased sacrifice anodes for longer use • E-coated with black powder coat



Plow Markers, Pair

Accessory Code: 5HYV-806400-1000 Features:

- For CFMOTO plow, Sold in pairs
- Height: 75mm (29.5 inch)
- Bright orange color, help locate the edges of plow
- Install on CFMOTO plow system easily

Plow Mount Bracket Assembly

Accessory Code: 5HYV-804100-1000

For UFORCE 1000 & UFORCE 1000 XL

- Install on the front of vehicle easily and lock the plow
- push tube easily



Plow Push Tube Assembly

Accessory Code: 5HYV-804200-1000 Features:

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at th front of CFMOTO vehicle easily
- Increased sacrifice anodes for longe use of snow plows
- E-coated with black powder coat





REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STAI	NARDED
1		852100-00004			EUROPE	230volt/50Hz
2		852100-00005			U.S.	120volt/60Hz
3		852100-00034			Canada	120volt/60Hz
4	GENERATOR - i20	852100-00006	2.0kw	Recoil	Australia	230volt/50Hz
5		852100-00019			China	230volt/50Hz
6		852100-00024			Korean	220volt/60Hz
7		852200-00018			U.K.	230volt/50Hz
8		852200-00001			EUROPE	230volt/50Hz
9		852200-00002			U.S.	120volt/60Hz
10	GENERATOR - i200	852200-00004			Canada	120volt/60Hz
11	(new body design +		2.3kw	Recoil	Australia	230volt/50Hz
12	5V/2A USB)	852200-00003			China	230volt/50Hz
13					Korean	220volt/60Hz
14		852200-00015			U.K.	230volt/50Hz

REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STANARDED	
1		852100-00007			EUROPE	230volt/50Hz
2		852100-00008			U.S.	120volt/60Hz
3		852100-00035			Canada 120volt/60Hz	
4	GENERATOR - i25	852100-00009	2.4kw	Recoil	Australia	230volt/50Hz
5		852100-00020			China	230volt/50Hz
6		852100-00025			Korean	220volt/60Hz
7		852200-00019			U.K.	230volt/50Hz
8		852200-00005			EUROPE	230volt/50Hz
9		852200-00006			U.S.	120volt/60Hz
10	GENERATOR - i250	852200-00008			Canada	120volt/60Hz
11	(new body design +		2.6kw Recoil	Recoil	Australia	230volt/50Hz
12	5V/2A USB)	852200-00007			China	230volt/50Hz
13					Korean	220volt/60Hz
14		852200-00016			U.K.	230volt/50Hz



REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STAN	NARDED
1		852100-00010			EUROPE	230volt/50Hz
2		852100-00011			U.S.	120volt/60Hz
3		852100-00036			Canada	120volt/60Hz
4	GENERATOR - i30	852100-00012	3.0kw	Recoil	Australia	230volt/50Hz
5		852100-00021			China	230volt/50Hz
6		852100-00026			Korean	220volt/60Hz
7		852200-00020			U.K.	230volt/50Hz
8		852200-00009			EUROPE	230volt/50Hz
9		852200-00010			U.S.	120volt/60Hz
10	GENERATOR - i300	852200-00012			Canada	120volt/60Hz
11	(new body design +		2.6kw	Recoil	Australia	230volt/50Hz
12	5V/2A USB)	852200-00011			China	230volt/50Hz
13					Korean	220volt/60Hz
14		852200-00017			U.K.	230volt/50Hz

REF

1

2



REF	PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STAN	NARDED
1		852100-00013			EUROPE	230volt/50Hz
2		852100-00014			U.S.	120volt/60Hz
3		852100-00037			Canada	120volt/60Hz
4	GENERATOR - i45	852100-00015	4.5kw	Recoil	Australia	230volt/50Hz
5		852100-00022			China	230volt/50Hz
6		852100-00027			Korean	220volt/60Hz
7		852200-00021			U.K.	230volt/50Hz
8		852100-00016			EUROPE	230volt/50Hz
9		852100-00017			U.S.	120volt/60Hz
10		852100-00038			Canada	120volt/60Hz
11	GENERATOR - 145e	852100-00018	4.5kw	Recoil	Australia	230volt/50Hz
12		852100-00023			China	230volt/50Hz
13		852100-00028			Korean	220volt/60Hz
14		852200-00022			U.K.	230volt/50Hz

PRODUCT NAME	PRODUCT CODE	POWER	STARTING	STAI	NARDED
GENERATOR - i20 (with parallel function) *parallel cable CF-852022-00001	852200-00013	2.0kw	Recoil	U.S.	120volt/60Hz
GENERATOR - i30 (with parallel function) *parallel cable CF-852022-00001	852200-00014	2.4kw	Recoil	U.S.	120volt/60Hz

