

2026



UFORCE ACCESSORIES



CFMOTO





UFORCE 600 UFORCE 800 XL UFORCE 600 EV

P03 —— P10

UFORCE 1000 UFORCE 1000 XL

P11 —— P16

UFORCE 1000 PRO UFORCE 1000 PRO XL

P17 —— P22

UNIVERSAL

P23 —— P26

WINCH & TOWING

P27 —— P30

PLOW SYSTEM

P31 —— P36

CFMOTO POWER

P37 —— P41

UFORCE

600 / 800XL / 600EV

① Bumpers

- Front bumpers
- Front bumpers - full protection
- Rear bumpers
- Nerf bars

② Doors & Storages

- Full door
- Half door
- Cargo box
- Small cargo box

③ Racks & Skid Plates

- Front hood rack
- Cargo bed rack / extender
- HDPE skid plate
- HDPE A-arm protector

④ Electric Device

- Heater system
- Heated seat
- Audio system

⑤ Windshields & Wipers

- Front tip-out windshield - glass
- Front tip-out heating defrost windshield - glass
- Front full / half windshield - PC
- Rear panel - PC
- Wiper and washer kit

⑥ Others

- Snorkel
- Vehicle cover
- Winch & towing kit
- Snow plow





Front Bumper Assembly

Accessory Code: 5AS#-801100-6000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



Front Full Protection Bumper Assembly

Accessory Code: 5ASV-805800-6000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install, Can be flip down for easy access to maintenance parts
- Integrate with the vehicle look
- Fully protect vehicle front, prevent headlight from branches or other debris scratching
- No interference with other Accessories



Rear Bumper Assembly

Accessory Code: 5AS#-801200-6001

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system



Rear Bumper Assembly

Accessory Code: 5AS#-801200-6000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system



Nerf Bars Assembly

Accessory Code: 5KWV-801100-1000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean



Nerf Bars Assembly

Accessory Code: 5AS#-801300-6000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean

* available for UFORCE 800 XL only.

* available for UFORCE 600 & EV.



UFORCE

600 / 800 XL / 600 EV



Front Hood Rack Assembly

Accessory Code: 5ASV-805900-6000

- Steel front hood rack is strong and durable, can take some goods on
- E-coated with black powder coat
- Easy to install
- Can be flip up for easy access to maintenance parts
- With installing CFConnect Base (9DQV-809100-3000), you can install front basket, front box, cooler box, tool holders or other Accessories on front rack by CFConnect clamps (9DS#-809000-6000).

* must work with front full protection bumper (5ASV-805800-6000)



Front Hood Rack Assembly

Accessory Code: 5ASV-805900-6000

- Steel front hood rack is strong and durable, can take some goods on
- E-coated with black powder coat
- Easy to install
- Can be flip up for easy access to maintenance parts
- With installing CFConnect Base (9DQV-809100-3000), you can install front basket, front box, cooler box, tool holders or other Accessories on front rack by CFConnect clamps (9DS#-809000-6000).

* must work with front full protection bumper (5ASV-805800-6000)



Cargo Bed Rack Assembly

Accessory Code: 5ASV-806200-6000

- Add the space for loading more goods
- Can work with CFMOTO UFORCE cargo box (5ASV-806100-6000)
- Durable, steel tube construction, E-coated with black powder coat
- With CF Connect, Easy to install and remove, Tool-less



Cargo Bed Extender Assembly

Accessory Code: 5ASV-802500-6000

- Add the space for loading more goods
- Durable, steel tube construction, E-coated with black powder coat
- With CF Connect, Easy to install and remove, Tool-less

* this rack apply to U6 and U8 XL



95L Cargo Box Assembly

Accessory Code: 5KVV-806500-1000

- Large storage capacity (25 Gallons, ~95 Liters)
- Durable, Heavy duty plastic, Stylish look
- Lockable lid, Water tight seal
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- This box can be installed on driver side or passenger side of U6 & U8 XL cargo bed, friendly for driver and passenger using

* this box apply to U6 & U8 XL



Cargo Box Assembly

Accessory Code: 5ASV-806100-6000

- Large storage capacity (48 Gallons, ~182 Liters)
- Durable, Heavy duty plastic, Stylish look
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- With 2 openable lids, easy to put goods in and take them out
- Lockable lid, No mounting holes inside of cargo box, Water tight seal
- With the integrated flat cover with rope holes, can put more goods on box



HDPE Skid Plate Assembly

Accessory Code: 7DHV-804100-1000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 600 perfectly



A-Arm Protectors Kit

Accessory Code: 7DHV-804200-1000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 600 perfectly



HDPE Skid Plate Assembly

Accessory Code: 5K WV-804100-1000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 800 XL perfectly



HDPE A-Arm Protector Kit

Accessory Code: 5K WV-804200-1000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 800 XL perfectly



HDPE Skid Plate Assembly

Accessory Code: 5ASV-804300-6001

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on UFORCE 600 perfectly

* this skid plate is for 2023MY and 2024MY UFORCE 600
 * 5ASV-804300-6000 is for 2022MY UFORCE 600



Snorkel Assembly

Accessory Code: 5K WV-803100-6001

- Perfect protection against dust and rain
- Stable, quiet at low/high speed riding condition
- Make UFORCE 800XL work well under harsh environment



Snorkel Assembly

Accessory Code: 5ASV-803100-6000

- Perfect protection against dust and rain
- Stable, quiet at low/high speed riding condition
- Make UFORCE 600 work well under harsh environment



Half Doors Kit

Accessory Code: 5ASV-807000-6000

- Includes left half door and right half door.
- Roto-mold doors can be well installed on UFORCE 600
- The strong and durable doors provide a comfortable driving environment and let fresh air goes in.
- Easy to install and un-install

* available for UFORCE 600 and UFORCE EV.



Front Half Doors Kit

Accessory Code: 5KWV-807500-1000

- Includes front left half door and front right half door.
- Roto-mold doors can be well installed on UFORCE 800 XL
- The strong and durable doors provide a comfortable driving environment and let fresh air goes in.
- Easy to install and un-install



Left Full Door Assembly

Accessory Code: 5ASV-807100-6000

Right Full Door Assembly

Accessory Code: 5ASV-807200-6000

- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal

* available for UFORCE 600 and UFORCE EV.



Front Left Full Door Assembly

Accessory Code: 5KWV-807100-1000

Front Right Full Door Assembly

Accessory Code: 5KWV-807200-1000

- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal
- Fit on UFORCE 800 XL perfectly

Rear Left Full Door Assembly

Accessory Code: 5KWV-807300-1000 (for 2025MY and prior)

5KWV-807300-1001 (for 2026MY)

Rear Right Full Door Assembly

Accessory Code: 5KWV-807400-1000 (for 2025MY and prior)

5KWV-807400-1001 (for 2026MY)

- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal



Front Tip-Out Heating Deforest Windshield Assembly - Glass

Accessory Code: 7DHV-808400-1000

- Made of Laminated safety glass
- The windshield can be tip-out by 2 gas struts and allow fresh air flow
- Meets or exceeds automotive standards
- Great seal, Excellent visibility
- Protects drivers and passenger from the elements
- With heating defrost working, fog can be disappeared on windshield to ensure the rider have a clear front view.

*this windshield can use 40W wiper (5ASV-808300-6000) only



Front Tip-Out Windshield Assembly - Glass

Accessory Code: 5ASV-808200-6000

7DHV-808200-1000

- Made of Laminated safety glass
- The windshield can be tip-out by 2 gas struts and allow fresh air flow
- Meets or exceeds automotive standards
- Great seal, Excellent visibility
- Protects drivers and passenger from the elements

*this windshield can use 40W wiper (5ASV-808300-6000) only



Wiper and Washer Kit (40W)

Accessory Code: 5ASV-808300-6000


- One 400 mm (16 in.) wiper blade can sweep a large area on windshield
- Clears debris and dust to keep visibility
- 2 individual switches for easy controlling wiper sweep and washer spray separately.
- Refillable reservoir holds approximately 1.5 L of cleaning fluid
- This wiper kit can work on CFC tip-out glass windshield (5ASV-808200-6000) only and Easy installation



Front Windshield Assembly-Poly

Accessory Code: 5ASV-805100-6001

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly

Accessory Code: 5ASV-805200-6001

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation

*This windshield apply to U6 & U8 XL & EV.



Front Half Windshield Assembly-Poly

Accessory Code: 5ASV-805300-6000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly-Poly

Accessory Code: 5ASV-805200-6000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation

*This windshield apply to 2025MY and prior U6 only



Roof Liner Assembly

Accessory Code: 5ASV-809100-6000

- Vehicle enhancement, reduce noise.
- Can work with audio system, overhead storage bag, windshield and LED lights.
- Make the cabin more comfortable
- 5 pcs in 1 package

* audio system, overhead storage bag, windshield and LED lights sold separately.



Heater System Assembly

Accessory Code: 5ASV-802000-5000

- Includes 6 adjustable heat vents, can blow feet, face and front windshield
- Variable Fan speed, can constantly provide heat wind
- Heat and fan dash-mounted controls
- Look integrated into vehicle
- Keep cab warm and circulate air
- Fit on UFORCE 600 perfectly.



Driver Heated Seat Assembly

Accessory Code: 5ASV-805600-6000

Passenger Heated Seat Assembly

Accessory Code: 5ASV-805700-6000

- Single Seat Kit, includes 1 switch (ON & OFF) and 1 temperature adjuster (Low temperature – High temperature)
- Rated Voltage 12V, Rated Power 40W±2W
- Thermostat, 2 levels:
High: OFF-70°C, ON-65°C
Low: OFF-55°C, ON-50°C
- The temperature of the seat surface makes the driver and passenger comfort in cold environment

* driver heated seat is not available for E.U.167 regulation.
It has not seat alerting function.



Side Mirrors Assembly

Accessory Code: 5ASV-805500-6000

- Perfect fit on UFORCE 600/800 XL
- Wide range rear view
- Make ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other Accessories



UFORCE 600 Vehicle Cover Assembly

Accessory Code: 85214Z-00100

- Made of UV-resistant solution black yarn-dyed Oxford PU
- Protects windshield and colored panels from abrasion
- Weather-resistant trailering cover protects your vehicle during storage and transportation
- Perfectly fit UFORCE 600 with or without CFMOTO Accessories
- This cover can be used on CFORCE for trailer traveling.
- With Velcro strap, this cover can be enlarged to cover CFORCE which equipped CF accessories including cargo boxes, windshield, front & rear bumpers and so on.

UFORCE

1000 / 1000 XL

① Bumpers

- Front bumpers
- Front bumpers - HD
- Rear bumpers
- Nerf bars

② Doors & Storages

- Full door
- Half door
- Power window door
- Cargo box

③ Racks & Skid Plates

- Cargo bed extender
- Aluminum / HDPE skid plate
- Aluminum A-arm protector

④ Electric Device

- Heater system
- Audio kit

⑤ Windshields & Wipers

- Front tip-out windshield - glass
- Front tip-out windshield – glass
- Front full / half windshield - PC
- Rear panel - PC
- Wiper and washer kit

⑥ Others

- Snorkel
- Roof liner
- seat cover
- Winch & towing kit
- Snow plow





Front Bumper Assembly

Accessory Code: 5HY#-801100-1000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



HD Front Bumper Assembly

Accessory Code: 5HYV-801600-1001

- Heavy Duty front bumper provide full protection for U10 front.
- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



Front Bumper and Rack Kit

Accessory Code: 5HY0-801000

- Integrated rack extension
- Made of φ 32mm steel pipe
- Front vehicle protection
- Headlight Protection
- Anti-corrosion coating with durable coat finish
- Tough and Strong



Rear Bumper Assembly

Accessory Code: 5HY#-801200-1000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system



Nerf Bars Assembly

Accessory Code: 5HY#-801300-1000

- Steel Tube diameter 50mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean



Nerf Bars Assembly

Accessory Code: 5SY#-801300-6000

- Steel Tube diameter 50mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean

* available for UFORCE 1000 only.

* available for UFORCE 1000 XL only.



Rear Bumper and Side Protectors Kit

Accessory Code: 5HY0-802000-10000

- Made of φ 32mm steel pipe
- Rear and Side vehicle protection
- Taillight Protection
- Anti-corrosion coating with durable coat finish
- Tough and Strong

* The side protectors need to work with front bumper and rack kit (5HY0-801000) together.

* It can work with U10 half door kit.



Cargo Bed Wall Extender Assembly

Accessory Code: 5HYV-803000-1000

- Extend the capacity of dumping box
- Tough and Strong
- Anti-corrosion coating with durable coat finish
- This Cage need 12 units quick release clamps (5HY0-809100) to install

* quick release clamps (5HY0-809100) need to purchased separately.



95L Cargo Box Assembly

Accessory Code: 5HYV-806500-1000

- Large storage capacity (25 Gallons, ~95 Liters)
- Durable, Heavy duty plastic, Stylish look
- Lockable lid, Water tight seal
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- This box can be installed on driver side or passenger side of U10 & U10 XL cargo bed, friendly for driver and passenger using

* this box apply to U10 & U10 XL



U10 Heater System

Accessory Code: 5HYR-802000-1K00

U10 XL Heater System

Accessory Code: 5SYB-802000-6A00

- Includes 6 adjustable heat vents, can blow feet, face and front windshield
- Variable Fan speed, can constantly provide heat wind
- Heat and fan dash-mounted controls
- Look integrated into vehicle
- Keep cab warm and circulate air



Audio System Stage - 1

Accessory Code: 5HYV-802000-1000

- Purposefully Engineered for CFMOTO
Audio system specifically for the CFMOTO UFORCE 1000 series
- AM/FM/Bluetooth Source Unit
High contrast LED screen displays album art Apple iPod /iPhone control controls your Apple device
Built-in five-band equalizer for easy system adjustments
- 6.5 Inch Composite Coaxial Speakers
Composite construction deep and accurate midbass
0.75-inch titanium dome tweeter for crystal clear high frequencies
- High impact Composite Enclosures
Vehicle specific Front Left & Right speaker panels
Ultra-Compact design takes up minimal space
- Life Shield IPX rated
Fully protected against the elements

Audio System Stage - 2

Accessory Code: 5HYV-801000-1000

- Purposefully engineered for CFMOTO
- Speaker system design specifically to work with UFORCE 1000 Audio system Stage-1 (5HYV-801000-1000)
- 6.5 Inch Composite Coaxial Speakers
- Composite construction deep and accurate midbass
0.75-inch titanium dome tweeter for crystal clear high frequencies
- High impact Composite Enclosures
- Vehicle specific front left & right speaker panels
Ultra-Compact design takes up minimal space
- 10 Inch Subwoofer
- Application specific long throw high output design
Low profile sealed enclosures
- 600 Watt High efficiency, Water-Resistant Full Range 5 channel amplifier
- Big power, small chassis design with low current draw
- Life Shield IPX rated
- Fully protected against the elements

* Audio system stage -2 is one speaker system. It must work with Audio system stage-1 (5HYV-801000-1000). It can not work on UFORCE 1000 by itself.



HDPE Skid Plate Assembly

Accessory Code: 5HYV-805800-1000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 perfectly



HDPE Skid Plate Assembly

Accessory Code: 5SYV-806800-1000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 XL perfectly



Skid Plate Assembly

Accessory Code: 5HY0-805200

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain

* available for UFORCE 1000 only.



A-Arm Protector Assembly

Accessory Code: 5HY0-805100

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain



U10 Roof Liner Assembly

Accessory Code: 5HYR-801000-1K00

U10 XL Roof Liner Assembly

Accessory Code: 5SYB-801000-1K00

- Vehicle enhancement, reduce noise.
- Can work with audio system, windshield and LED lights.
- Make the cabin more comfortable
- 5 pcs in 1 package



Half Doors Kit

Accessory Code: 5HYV-807500-1000

- Half doors kit includes left half door and right half door.
- The rotational-molding half doors are light weight but strong and durable.
- Half doors are designed for UFORCE 1000 and can be fit on UFORCE 1000 easily and perfectly.
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000.

* available for UFORCE 1000 only.



Front Half Doors Kit

Accessory Code: 5SYV-807500-6000

- Front half doors kit includes front left half door and front right half door.
- The rotational-molding half doors are light weight but strong and durable.
- Half doors are designed for UFORCE 1000 XL and can be fit on UFORCE 1000 XL easily and perfectly.
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000 XL.

* available for UFORCE 1000 only.




Rear Half Doors Kit

Accessory Code: 5SYV-807600-6000

- Rear half doors kit includes rear left half door and rear right half door.
- The rotational-molding half doors are light weight but strong and durable.
- Half doors are designed for UFORCE 1000 XL and can be fit on UFORCE 1000 XL easily and perfectly.
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000 XL.

* available for UFORCE 1000 XL only.



Left Full Door Assembly

Accessory Code: 5HYV-807100-1000

Right Full Door Assembly

Accessory Code: 5HYV-807200-1000

- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Polycarbonate windows can be opened fully.
- The main tube of door structure is 20 x 20 mm square tube
- 360 degree bubble seal

* available for UFORCE 1000 XL only.



Left Power Window Door Assembly

Accessory Code: 5HYV-807300-1000

Right Power Window Door Assembly

Accessory Code: 5HYV-807400-1000

- The strong and durable doors have 360 degree bubble seal straps and provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handles
- The doors have reserved cable plug for connecting vehicle to get power
- Powered glass windows can be opened for fresh air flowing

* available for 2024MY UFORCE 1000 only.



Front Left Power Window Door Assembly

Accessory Code: 5SYV-807100-6000

Front Right Power Window Door Assembly

Accessory Code: 5SYV-807200-6000

- The strong and durable doors have 360 degree bubble seal straps and provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handles
- The doors have reserved cable plug for connecting vehicle to get power
- Powered glass windows can be opened for fresh air flowing

* available for 2023MY & 2024MY UFORCE 1000 XL only.



Rear Left Power Window Door Assembly

Accessory Code: 5SYV-807300-6000

Rear Right Power Window Door Assembly

Accessory Code: 5SYV-807400-6000

- The strong and durable doors have 360 degree bubble seal straps and provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handles
- The doors have reserved cable plug for connecting vehicle to get power
- Powered glass windows can be opened for fresh air flowing

* available for 2023MY & 2024MY UFORCE 1000 XL only.



Front Windshield Assembly

Accessory Code: 5SYV-805100-1000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation

*This windshield can not be installed on MY2021 and before UFORCE 1000, unless change the roof mount plate (5HY0-230107-3B200) with the roof mount plate (5HY0-230107-40000).

*This windshield can be applied to 2022MY and 2023MY and 2024MY UFORCE 1000 and UFORCE 1000 XL.



Rear Panel Assembly

Accessory Code: 5SYV-805200-1002

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation

* Please know this usage of rear windshield will bring more dust and debris to the air intake of CVT and air filter by back draft/whirl. We suggest consumer adding snorkel kit (5HY#-803000-1200) to improve the air flow.



Front Half Windshield Assembly

Accessory Code: 5SYV-805300-1000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



U10 Front Tip-Out Windshield Assembly - Glass

Accessory Code: 5HYV-805800-1K02

U10 XL Front Tip-Out Windshield Assembly - Glass

Accessory Code: 5SYV-805800-6A00

- Made of Laminated safety glass
- The windshield can be tip-out by 2 gas struts and allow fresh air flow
- Meets or exceeds automotive standards
- Great seal, Excellent visibility
- Protects drivers and passenger from the elements

* this windshield can use 40W wiper (5HYV-805600-1K01) only



Wiper and Washer System (40W)

Accessory Code: 5HYV-805600-1K01

- One 400 mm (16 in.) wiper blade can sweep a large area on windshield
- Clears debris and dust to keep visibility
- 2 individual switches for easy controlling wiper sweep and washer spray separately.
- Refillable reservoir holds approximately 1.5 L of cleaning fluid
- This wiper kit can work on CFC tip-out glass windshield (5HYV-805800-1K01 and 5SYV-805800-6A00) only and Easy installation



Side Mirrors Assembly

Accessory Code: 5HY#-805500-1200

- Perfect fit on UFORCE 1000 and UFORCE 1000 XL
- Wide range rear view
- Make UFORCE 1000 ride more safety
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other Accessories



① Bumpers

- Front & rear bumpers
- Front bumpers - HD
- Nerf bars

② Doors & Storages

- Half door
- Power window full door
- Cargo box
- Cargo bed small box

③ Racks & Skid Plates

- Cargo bed rack
- HDPE skid plate
- HDPE A-arm protector

④ Electric Device

- Heater system
- Heated seat

⑤ Windshields & Wipers

- Front tip-out windshield - glass
- Front tip-out heating defrost windshield - glass
- Wiper and washer kit
- Front full / half windshield - PC
- Rear windshield - glass / PC

⑥ Others

- Snorkel
- Vehicle / seat cover
- Winch & towing kit
- Snow plow
- Auxiliary battery





Front Bumper Assembly

Accessory Code: 5HYV-802100-6000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection



HD Front Bumper Assembly

Accessory Code: 5HYV-802200-6000

- Heavy Duty front bumper provide full protection for vehicle front.
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system

* this bumper can add one upper part for more protection.
The upper part need to be purchased separately.



Nerf Bars Assembly

Accessory Code: 5SYV-801300-8000

- Steel Tube diameter 45mm & wall thickness 3mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean



Nerf Bars Assembly

Accessory Code: 5HYV-802400-6000

- Steel Tube diameter 45mm & wall thickness 3mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Integrated boot scraper helps keep interior clean

* available for UFORCE 1000 Pro XL only.

* available for UFORCE 1000 Pro only.




Rear Bumper Assembly (without license bracket)

Accessory Code: 5HYV-802300-6001

Rear Bumper Assembly (with license bracket)

Accessory Code: 5HYV-802500-6001

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Works hitch system



Cargo Bed Rack Assembly

Accessory Code: 5HYV-806200-1000

- Add the space for loading more goods
- Can work with CFMOTO UFORCE 1000 & XL cargo box
- Durable, steel tube construction, E-coated with black powder coat
- With CFConnect, Easy to install and remove, Tool-less



95L Cargo Box Assembly

Accessory Code: 5HY1-806500-6000

- Large storage capacity (25 Gallons, ~95 Liters)
- Durable, Heavy duty plastic, Stylish look
- Lockable lid, Water tight seal
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- This box can be installed on driver side or passenger side of U10 Pro cargo bed, friendly for driver and passenger using



Cargo Box Assembly

Accessory Code: 5HYV-806100-1000

- Large storage capacity (52.5 Gallons, ~199 Liters)
- Durable, Heavy duty plastic, Stylish look
- With drain hole, Easy to clean the box and drain the water
- With CF Connect, Easy to install and remove, Tool-less
- With 2 openable lids, easy to put goods in and take them out
- Lockable lid, No mounting holes inside of cargo box, Water tight seal
- With the integrated flat cover with rope holes, can put more goods on box



HDPE Skid Plate Assembly

Accessory Code: 5SYV-804100-8000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 Pro XL perfectly



HDPE Skid Plate Assembly

Accessory Code: 5HYV-804100-6000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 Pro perfectly



HDPE A-Arm Protectors Kit

Accessory Code: 5HYV-804200-6000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- Fit on UFORCE 1000 Pro and UFORCE 1000 Pro XL perfectly



Oil Filter Kit

Accessory Code: 5HYV-809900-6000

- This Kit includes 1 oil filter (ONYV-070200-1000), 1 washer (0010-021014) and 1 bandana (85244K-00100)
- Make the service and maintenance be easy
- Apply to UFORCE 1000 Pro and UFORCE 1000 Pro XL



Front Windshield Assembly

Accessory Code: 5HYV-805100-6000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Front Half Windshield Assembly

Accessory Code: 5HYV-805300-6000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Protects drivers and passenger from the elements
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly

Accessory Code: 5HYV-805200-6000

- Made of impact-resistant 6mm thickness polycarbonate
- Excellent visibility
- Surface hardening treatment
- Stable and quiet at riding condition
- UV and weather endurance with no yellowing
- Prevent backdraft of dust or rain in harsh environments
- With CF Connect, tool-less, Easy to install and remove after initial installation



Rear Panel Assembly – Glass

Accessory Code: 5HYV-805200-9001

- One Sliding Glass Rear Panel, Excellent visibility
- Scratch-resistant tempered glass for durability and longer-lasting clarity
- Central sliding window provides adjustable ventilation and in-cabin access to cargo in your cargo bed
- 360 degree gasket seal provides stable and quiet at riding condition
- Prevent backdraft of dust or rain in harsh environments



Wiper and Washer Kit

Accessory Code: 5HYV-805900-6000 (U10 Pro) /
5SYV-805900-8300 (U10 Pro XL)

- One 400 mm (16 in) wiper blade can sweep a large area on windshield
- Clears debris and dust to keep visibility
- Integrated switch on U10 Pro and U10 Pro XL for easy controlling
- wiper sweep and washer spray.



Tip-Out Front Windshield Assembly - Glass

Accessory Code: 5HYV-805500-6001 (U10 Pro) /
5SYV-805500-8300 (U10 Pro XL)

- Scratch-resistant automotive style curved glass windshield, Excellent visibility
- It can tip out by electric support rods and have 3 positions - closed, vented and open
- When closed, 360 degree gasket seal windshield provides stable and quiet at riding condition
- Protects drivers and passenger from the elements



Roof Liner Assembly

Accessory Code: 5HYV-803100-6000

- Vehicle enhancement, reduce noise.
- Can work with audio system, windshield and LED lights.
- Make the cabin more comfortable
- 5 pcs in 1 package
- Fit on U10 Pro perfectly



Roof Liner Assembly

Accessory Code: 5SYV-803300-6000

- Vehicle enhancement, reduce noise.
- Can work with audio system, windshield and LED lights.
- Make the cabin more comfortable
- 5 pcs in 1 package
- Fit on U10 Pro XL perfectly



Half Doors Kit

Accessory Code: 5HY1-807500-6001

- Half doors kit includes left half door and right half door.
- The rotational-molding half doors are light weight but strong and durable.
- Half doors are designed for UFORCE 1000 Pro and can be fit on UFORCE 1000 Pro easily and perfectly.
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000 Pro.

* available for UFORCE 1000 Pro only.



Front Half Doors Kit

Accessory Code: 5SYV-807600-8001

Rear Half Doors Kit

Accessory Code: 5SYV-807500-8001

- Half doors kit includes left half door and right half door.
- The rotational-molding half doors are light weight but strong and durable.
- Half doors are designed for UFORCE 1000 Pro XL and can be fit on UFORCE 1000 Pro XL easily and perfectly.
- With equipping half doors, drivers would have a safe and ventilate driving environment on UFORCE 1000 Pro XL.



Front Power Window Door Kit – Black

Accessory Code: 5HYV-809100-9000

- Includes left power door and right power door
- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Power drive glass windows can be opened fully.
- 360 degree bubble seal



Rear Power Window Door Kit – Black

Accessory Code: 5SYV-809200-8300

- Include front left & right doors and rear left & right doors.
- The strong and durable doors provide a quiet and comfortable driving environment
- Doors with convenient integrated storage areas
- Exterior and Interior door handle
- Power drive glass windows can be opened fully.
- 360 degree bubble seal
- Fit on U10 Pro XL perfectly

* the doors accent panels are black color. Consumer can order other color accent panels individually for matching the vehicle color.

* the doors accent panels are black color. Consumer can order other color accent panels individually for matching the vehicle color.



FRONT DOOR DECORATIVE PANEL KIT

Accessory Code: 5HYV-808300-9000 - TT Camo
 5HYV-808200-9000 - Bordeaux Red
 5HYV-808100-9000 - Nebula Black
 5HYV-808800-9000 - Green

REAR DOOR DECORATIVE PANEL KIT

Accessory Code: 5SYV-808300-9000 - TT Camo
 5SYV-808200-9000 - Bordeaux Red
 5SYV-808100-9000 - Nebula Black
 5SYV-808800-9000 - Green

- Each code includes left and right decorative panels
- Consumer can order the corresponding color panels matching his vehicle color



U10 Pro Heater System

Accessory Code: 5HYV-801100-6000

U10 Pro XL Heater System

Accessory Code: 5SYV-801100-8000

- Includes 8 adjustable heat vents, can blow feet, face, windows and front windshield
- Variable Fan speed, can constantly provide heat wind
- Heat and fan dash-mounted controls
- Look integrated into vehicle
- Keep cab warm and circulate air

* the doors accent panels are black color. Consumer can order other color accent panels individually for matching the vehicle color.



Driver Heated Seat Assembly

Accessory Code: 5HYV-805600-6000

Driver Heated Seat Assembly - EU167

Accessory Code: 5HYV-805700-6000

U10 Pro Passenger Heated Seat Assembly

Accessory Code: 5HYV-805800-6000

U10 Pro XL Passenger Heated Seat Assembly

Accessory Code: 5SYV-805800-8300

- Heated Seat Kit, switched and controlled by MMI display (ON - Low temperature - High Temperature - OFF)
- The temperature of the seat surface makes the driver and passengers comfort in cold environment



UFORCE

Universal



Vehicle Cover – 2 seater

Accessory Code: 85244Z-00300

Vehicle Cover – 4 seater

Accessory Code: 85244Z-00400

- Made of UV-resistant solution black yarn-dyed Oxford PU, With CFMOTO logo and 35 Anniversary logo
- The reflecting straps make vehicle be visible under dark condition
- The zip allow to access the cabin easily while vehicle have cover on.
- Protects windshield and colored panels from abrasion, and prevent dust and rain, keep the vehicle clean condition
- Weather-resistant storage cover protects your vehicle during storage and transportation
- Fit UFORCE 600 and UFORCE 800 XL with or without CFMOTO Accessories

* this cover can fit U10 Pro and U10 Pro XL perfectly, but it is a little loose for U6 & U8 XL & EV.



Audio System

Accessory Code: 5ASV-801000

- Audio system specifically design for UFORCE 600 fitment
- High Contrast 160-Watt LCD Source Unit
- AM/FM, Bluetooth with Android phone and Apple iPod/iPhone control Built-in-five band equalizer
- Independent 2 x 6.5-inch Coaxial Speakers
- Composite construction midrange for deep and accurate midbass
- 0.75-inch titanium dome tweeter for crystal clear-high frequencies
- High Impact HDPE Composite Enclosure
- Ultra-compact design takes up minimal space
- LIFE SHIELD IPX Rated
- Fully protected against the elements



CFConnect Clamp Kit

Accessory Code: 9DS#-809000-6000

- This kit includes a pair of CFConnect clamps
- CFMOTO owns the patents of CFConnect Clamp.
- CFConnect Clamp can be used on all CFMOTO vehicles for installing and un-installing CFMOTO Accessories easily.
- The clamps can be used to fix CFMOTO cargo boxes, baskets, cooler boxes and bed racks on vehicles firmly.



CFConnect Base Assembly

Accessory Code: 9DQV-809100-3000

- The base is used to installed on UFORCE 600/800 XL Front Hood Rack for attaching CFConnect clamp.

* UFORCE 600/800 XL Front Hood Rack has no CFConent Bases.

* Consumers need to install the CFConnect Bases on front hood rack before using CFConent clamps to install box, basket, cooler box or other Accessories.



ORB light Assembly

Accessory Code: 5HYV-800100-1000

- ORB LED light provides 1360 Lumen output and large range illumination 360° around your vehicle, is ideal for plowing, hunting, and night time work
- High-density extruded aluminum body with cast end caps, fully protected against the elements
- Mounted to left door upper hinge or right door upper hinge
- With stainless steel pivot mounting system, the light can be rotated up and rotated down easily as requires

* For 2023MY and prior UFORCE 600/800 XL, must purchase and install a heated seat button (5ASV-169170-6000) individually to control the light working.

* apply to UFORCE 600/800 XL and UFORCE 1000 & 1000 XL.

* this light does not compliance with ECE.



Center Mirror Assembly - Premium

Accessory Code: 5BWV-805600-5000

- Large range rear review, make UFORCE 600 ride more safety
- Aluminum mounting brackets
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other Accessories

* available for UFORCE 600/800 XL, UFORCE 1000, ZFORCE 950/1000 Sport



Tools Box Assembly

Accessory Code: 5BYV-804100-1000

- Tool box can take the necessary tools and small items
- Use Velcro to lock the tool box on vehicle, easy to change the place
- With tool box, consumer can get the tool anytime and anywhere.
- L x W x H: 422 x 170 x 57mm (16.6 x 6.9 x 2.2 inch)

* he box does not include tools. Consumers can order tools and put them in the box as needed.

* the box is available for CFMOTO ATV/SxS except for U10 Pro.



Overhead Storage Bag Assembly

Accessory Code: 5HYV-809200-1000

- Perfect Fit on roof of UFORCE 600 and UFORCE 1000
- Zippered cargo areas with dust flaps keep items dry and clean
- Large storage capacity
- One special storage space designed for roadmap, phone and others which need to be accessed easily
- Easy to install



8" Screen Protector

Accessory Code: 85244N-00300

- 20S thick 8" screen protector is specifically designed for CFMOTO 8" display
- Ultimate transparency, Anti-Glare, UV Protection Tested
- Keep your display protected from dust, mud and dirt
- 10 pcs protectors packed in one carton box. Sell by box.
- Apply to CFORCE 850 Touring & CFORCE 1000 Touring 8" display and UFORCE 1000 Pro & UFORCE 1000 Pro XL 8" display and UFORCE EV 8" display.

*Tip: please spray a little water on the whole display screen before applying the screen protector.



8" Screen Protector

Accessory Code: 85244N-00400

- 40S thick 8" screen protector is specifically designed for CFMOTO 8" display
- Ultimate transparency, Anti-Glare, UV Protection Tested
- Keep your display protected from dust, mud and dirt
- 10 pcs protectors packed in one carton box. Sell by box.
- Apply to CFORCE 850 Touring & CFORCE 1000 Touring 8" display and UFORCE 1000 Pro & UFORCE 1000 Pro XL 8" display and UFORCE EV 8" display.

*Tip: please spray a little water on the whole display screen before applying the screen protector.



Horn Kit

Accessory Code: 5ASV-800100-5000

- Easy to install on UFORCE and ZFORCE
- Horn switch is installed on the console, easy to touch and control
- Equip for safety driving



Buss Bar Kit

Accessory Code: 5ASV-800200-5000

- Easy to install on UFORCE and ZFORCE
- Buss bar can provide a single power source for your electrical needs, and make the electronic Accessories get the power easily and save the connecting harness.
- With buss bar, you can customize your vehicles with electrical Accessories you need.

*This Buss bar is available for 2024MY SxS, not suitable for previous vehicles.



Cooler Bag - Foldable

Accessory Code: 85244B-00600

- one cooler bag has two usage forms that can be freely switched, and with removable shoulder strap and carry handles.
- Beautiful appearance, with multiple hanging points on the external body for easy hanging items, and also equipped with a bottle opener
- 8mm EPE pearl cotton can retain cold for a long time
- Water-resistant interior liner, antibacterial technology for deodorization, easy to clean, environmentally friendly, and allows for direct contact with food
- It can easily contain 6 * 330ml can drinks



UFORCE

WINCH & TOWING





Winch Fairlead Kit

Accessory Code: 9AWV-808600-8000

- Used with CFMOTO winch
- It includes a fairlead, a hook and a stopper.

* it could be used on any CFMOTO vehicle which equipped with a winch



Winch Rope Stopper

Accessory Code: 9DQV-808600-3000

- Used with CFMOTO winch
- It can stop winch rope rotate back too much and protect winch rope.

* it could be used on any CFMOTO vehicle which equipped with a winch.



6000lbs Winch Motor

Accessory Code: 5SYV-807000-6000

- This 6000lbs winch motor just has synthetic rope, has no other parts. It can replace CFMOTO 4500lbs winch motor, and use other winch parts of stock 4500lbs winch.
- 6000lbs winch can meet consumer's needs of bigger winching ability capacity.

* This is not a winch assembly, it is just 6000lbs winch motor.



Hitch Kit (290mm)

Accessory Code: 9AW#-808100

- 2 inch hitch kit for ATV/UTV
- 290mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

* CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can pick up the hitch kit which he need.



Hitch Kit (136mm)

Accessory Code: 7000-808100

- 2 inch hitch kit for ATV/UTV
- 136mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

* CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can pick up the hitch kit which he need.



Winch Remote Controller

Accessory Code: 5HYV-801500-1000

- Easy to install on UFORCE and ZFORCE
- Must work with CFMOTO winch
- Remote range is 15.2 meters
- Easy control winch working

* it could be used on CFMOTO UFORCE or ZFORCE which equipped with CFMOTO winch.



Synthetic Winch Rope

Accessory Code: 7020-800750

- High strength winch rope, pull up to 4500 lbs
- Rope length up to 12 meters.
- Light weight, easy to carry
- Durable, sea water resistance, UV resistance and temperature difference repetition, etc
- Convenient, fast and safe operation

* it could be used on any CFMOTO vehicle which equipped with a winch



Tree Saver Strap

Accessory Code: 9DS#-808302-6000

- Large eyes with heavy duty chafe protection allow for easy rigging
- Bright yellow nylon provide excellent visibility when winching
- Center chafe protects from abrasion damage

* available for ATV/SxS



Winch Rope Fairlead

Accessory Code: 7030-150701

- Used with CFMOTO winch
- Aluminum fairlead reduces wear on wire rope for heavy attachment application

* it could be used on any CFMOTO vehicle which equipped with a winch



Trailer Socket & Adaptor Assembly (8 pins)

Accessory Code: 9DQV-800200-3000

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market
- It is for 8 pins



Trailer Socket & Adaptor Assembly(6 pins)

Accessory Code: 7020-800200-1000

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market
- It is for 6 pins

* For CFMOTO vehicles without trailer power socket.

* Before ordering power socket & adaptor assembly, please ensure your vehicle has power socket mounting bracket firstly.

* For CFMOTO vehicles without trailer power socket.

UFORCE

PLOWSYSTEM







Plow Mount Bracket Assembly – G2

Accessory Code: 5ASV-804200-6001

- For UFORCE 600 & UFORCE 800 XL
- Wall Thickness: 6mm
- Install on the front of UFORCE 600 / 800 XL easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

* The other parts of the plow system need to be purchased separately.



Plow Mount Bracket Assembly – G2

Accessory Code: 5HYV-804100-1001

- For UFORCE 1000 and UFORCE 1000 XL
- Wall Thickness: 6mm
- Install on the front of UFORCE 1000 / XLeasily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

* The other parts of the plow system need to be purchased separately.



50" Plow Blade Assembly – G2

Accessory Code: 9CQV-804700-3000

60" Plow Blade Assembly – G2

Accessory Code: 9AWV-804700-8000

72" Plow Blade Assembly – G2

Accessory Code: 5HYV-804700-1000

- For UFORCE multiple models
- Plow wall thickness 2.5mm
- Attach the plow push tube at the front easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.

* The other parts of the plow system need to be purchased separately.
* For G2 blade, please remember to order spring kit.



Plow Mount Bracket Assembly – G2

Accessory Code: 5HYV-802700-6000

- For U10 Pro & U10Pro XL
- Wall Thickness: 6mm
- Install on the front of U10 Pro & U10Pro XLeasily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

* The other parts of the plow system need to be purchased separately.

Plow Push Tube Assembly – G2

Accessory Code: 5KWV-804600-1000

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at the front of UFORCE 600/800 XL easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

* The other parts of the plow system need to be purchased separately.



Plow Push Tube Assembly – G2

Accessory Code: 5KVV-804600-6000

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at the front of UFORCE 1000 / UFORCE 1000 XL / U10 Pro / U10 Pro XL easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

* The other parts of the plow system need to be purchased separately.



Plow Markers, Pair

Accessory Code: 5HYV-806400-1000

- For CFMOTO plow, Sold in pairs
- Height: 75mm (29.5 inch)
- Bright orange color, help locate the edges of plow
- Install on CFMOTO plow system easily

* The other parts of the plow system need to be purchased separately.



G2 Red Spring Kit – 1 pair

Accessory Code: 9AWV-804640-8000

G2 Black Spring Kit – 1 pair

Accessory Code: 9AWV-804650-8000

- Apply to CFMOTO G2 plow.

* The other parts of the plow system need to be purchased separately.



50" Plow Deflector Assembly

Accessory Code: 9DRV-804500-1100

60" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

72"" Plow Deflector Assembly

Accessory Code: 5HYV-804500-1000

- For CFMOTO Snow Plow
- Keeps snow from flying into your face
- Made of black hard rubber
- Use metal plate and bolts to lock deflector on plow firmly
- Compatible with plow markers & fenders

* The other parts of the plow system need to be purchased separately.



Plow Fender

Accessory Code: 5HYV-804400-1000

- For CFMOTO plow
- Wall Thickness: 3mm
- Install on CFMOTO plow system easily
- E-coated with black powder coat
- Reminding: this code is for a pair of plow fenders.

* The other parts of the plow system need to be purchased separately.



Plow Strap

Accessory Code: 9DQV-808500-3000

- Apply to CFMOTO plow
- A reliable 45.6 inches (1.16m) length strap that replaces winch rope for lifting plow (Total length = 70.5 inches (1.79m))
- 1.25 inches (32mm) Wide design reduces wear and tear on winch roller or fairlead
- Made from durable polyester fiber material, can bear as much as 3200lbs pull capacity

* The other parts of the plow system need to be purchased separately.

Select your Vehical

UFORCE 600 & 800 XL
UFORCE 600 EV

Select a Mount

Plow Mount Bracket Assembly - G2

Accessory Code: 5ASV-804200-6001

Select a Push Tube

Plow Push Tube Assembly - G2

Accessory Code: 5KVV-804600-1000



UFORCE 1000 & 1000 XL



Plow Mount Bracket Assembly - G2

Accessory Code: 5HYV-804100-1001



Plow Push Tube Assembly - G2

Accessory Code: 5HYV-804600-6000



UFORCE 10 PRO & 10 XL PRO



Plow Mount Bracket Assembly - G2

Accessory Code: 5HYV-802700-6000



Plow Push Tube Assembly - G2

Accessory Code: 5HYV-804600-6000

Select accessories

Essential accessories:



G2 Red Spring Kit - 1 pair

Accessory Code: 9AWV-804640-8000

G2 Black Spring Kit - 1 pair

Accessory Code: 9AWV-804650-8000

Optional accessories:

- Plow Side Fenders - 5HYV-804400-1000
- 50" Plow Upper Deflectors - 9DRV-804500-1100
- 60" Plow Upper Defenders - 9AWV-804500-2000
- 72" Plow Upper Defenders - 5HYV-804500-1000
- 50" Plow Blade Ware Bars - 9CQV-804720-3000
- 60" Plow Blade Ware Bars - 9AWV-804720-8000
- 72" Plow Blade Ware Bars - 5HYV-804720-1000
- Plow Markers - 5HYV-806400-1000
- Plow strap - 9DQV-808500-3000
- Plow strap (HD) - 9AWV-808800-8000



50" Plow Deflector Assembly

Accessory Code: 9DRV-804500-1100

60" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

72" Plow Deflector Assembly

Accessory Code: 5HYV-804500-1000

Recommended blade size



50" Plow Blade Assembly – G2

Accessory Code: 9CQV-804700-3000

60" Plow Blade Assembly – G2

Accessory Code: 9AWV-804700-8000



60" Plow Blade Assembly – G2

Accessory Code: 9AWV-804700-8000

72" Plow Blade Assembly – G2

Accessory Code: 5HYV-804700-1000



60" Plow Blade Assembly – G2

Accessory Code: 9AWV-804700-8000

72" Plow Blade Assembly – G2

Accessory Code: 5HYV-804700-1000



Plow Fender

Accessory Code: 5HYV-804400-1000



Plow Markers, Pair

Accessory Code: 5HYV-806400-1000



Plow Strap

Accessory Code: 9DQV-808500-3000



CFMOTO POWER



CFMOTO POWER – Generator G1

Accessory Code: i20, i25, i30

- 15% lower fuel consumption, especially conventional generators;
- 2.5% lower THD stable output for precise instrument;
- 50°C high-temperature environment workable, no overheating shut-down;
- 8 minutes to access to any part, for easy inspection, maintenance or repair;

- Starting direct gravity fuel supply, for better recoil starting by 1-2 pulls;
- Patented outer structure of fully-enclosed housing for strength and lower noise;
- Patented inner structure of dual-fan, dual-air channel, dual-muffler, and double-layer acoustic hood for better cooling, lower emission and noise.



CFMOTO POWER – Generator G1

Accessory Code: i45, i45E

- Convenient rear cover for repair and all maintenance items
- Compact size, 10% less than competitors, to save space
- Fashionable design to attract eyesight
- Super silent, not disturb other persons
- 2.5% lower THD stable output for precise instrument
- lower fuel consumption, especially conventional generators
- Patented inner and outer structures, more strength and stability



CFMOTO POWER



Stackable design

- Flat top design, as a table, easily to place extra stuff on;
- Stackable design to save space and move easily;

Noise

- Super silent model with noise proof plastic housing and inner noise reduction design, to give you a quite experience;
- Noise level 55-60dBA@7m



Digital data center VFT

Indicate operation data, easy to read:

- V-Voltage
- F-Frequency
- T-Time for single/total hours

Auto air venting system

To keep the air pressure balanced between fuel tank and outside, no need to turn on cap knob for fuel supply.
Simply the operation.



Repair cover

Simply remove two screws to disassemble the repair door easily;
Do repair and maintenance work in one location, as follows:

- Engine oil filling and drain
- Air box maintenance
- Spark plug maintenance
- Gasoline drain from carburetor

Integrated control panel

All control units are integrated in control panel area, easy and simple to operate.

CFMOTO POWER – Generator G1

	i20	i25	i27/i30	i45
Engine model	LH148F	LH148F-G	LH148F-G	LH170F
Engine displacement	79cc	79cc	79cc	212 cc
Engine type	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke, OHV
AC Starting power (KW)	2.0	2.4	3.0	4.5
AC Running power (KW)	1.8	2.1	2.1	3.7
DC output	Cig socket: 12V/8A	Cig socket: 12V/8A	Cig socket: 12V/8A	Cig socket: 12V/8A Dual USB 5V/2A
Starting system	Recoil	Recoil	Recoil	Recoil
Noise Level (dB@7m)	52-59	52-59	52-59	55-60
N.W.(KGS)/G.W.(KGS)	19.8/22.5	19.8/22.5	19.8/22.5	36.6/40.3
Dimension(mm)	512*315*447	512*315*447	512*315*447	580*453*481
Packing size(mm)	542*350*506	542*350*506	542*350*506	611*487*530
Oil capacity	400ml	400ml	400ml	600ml
Fuel tank capacity	5L	5L	5L	7L
Running time (hrs)	6-20	5-20	5-20	N/A
THD	<2.5%	<2.5%	<2.5%	<2.5%
ECO mode	Yes	Yes	Yes	Yes
Low Oil alarm	Yes	Yes	Yes	Yes
Overload alarm	Yes	Yes	Yes	Yes
Output indicator	Yes	Yes	Yes	Yes
Reset button	Yes	Yes	Yes	Yes
Fuel gauge	Yes	Yes	Yes	Yes
Certification	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	Euro V emission, EPA	CE, Euro V emission, EMC, EPA



	i45E	i200	i250	i270/i300
Engine model	LH170F	LH148F	LH148F-G	LH148F-G
Engine displacement	212 cc	79cc	79cc	79cc
Engine type	Air cooled, Four-Stroke, OHV	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke
AC Starting power (KW)	4.5	2.0	2.4	3.0
AC Running power (KW)	3.7	1.8	2.1	2.1
DC output	Cig socket: 12V/8A Dual USB 5V/2A	Dual USB 5V/2A	Dual USB 5V/2A	Dual USB 5V/2A
Starting system	Recoil/Electric/Remote	Recoil	Recoil	Recoil
Noise Level (dB@7m)	55-60	52-59	52-59	52-59
N.W.(KGS)/G.W.(KGS)	37.7/41.4	19/21	19/21	19/21
Dimension(mm)	580*453*481	480*315*415	480*315*415	480*315*415
Packing size(mm)	611*487*530	515*345*468	515*345*468	515*345*468
Oil capacity	600ml	400ml	400ml	400ml
Fuel tank capacity	7L	4L	4L	4L
Running time (hrs)	N/A	4.5hrs@75% output	4.5hrs@75% output	4.5hrs@75% output
THD	<2.5%	<2.5%	<2.5%	<2.5%
ECO mode	Yes	Yes	Yes	Yes
Low Oil alarm	Yes	Yes	Yes	Yes
Overload alarm	Yes	Yes	Yes	Yes
Output indicator	Yes	Yes	Yes	Yes
Reset button	Yes	Yes	Yes	Yes
Fuel gauge	Yes	Yes	Yes	Yes
Certification	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	Euro V emission, EPA



CFMOTO POWER – Power Bank

Accessory Code: P600 PRO

- SiC two-way inverter, the efficiency is as high as 95% or more
- Fast charge 1.5h, no need to wait
- A-turbo technology can drive as high as 1800W electrical application
- Low temperature -20°C application, to cope with severe cold
- Technological style appearance matches outdoor enthusiast



CFMOTO POWER – Power Bank

Accessory Code: 1360E

- 94V-0 grade fireproof shell, anti-fall and wear-resistant;
- Support three charging methods: Solar charging, Mains charging, and Car charging;
- Two-way inverter fast charging, full power in 2 hours; built-in EPS;
- 4 kinds of interfaces, 9 output ports, multiple devices can be used at the same time;
- Operating temperature: charging -10°C to 40°C, discharging -20°C to 45°C.



CFMOTO POWER – Power Bank

Function	Specification	P600 pro	1360E
Battery	Battery Type Battery Capacity Cell Cycle Life	Lithium-iron battery 584Wh (15.2V, 38.4Ah) 2000 times ≥70%	Lithium-iron battery 1361Wh (22.5V, 60.5Ah) 3000 times ≥85%
Changing	Mains input Solar Panel input Car Socket (Cigarette Lighter) input USB input	550W max 200W max (DC 11~30v, 12A) 96W max (DC 12V/24V, 8A) N.A.	800W max 400W max (DC 12V~60V/15A) 120W max TYPE-C: PD100W
Discharging	Rated output A-Turbo Surge power USB output DC 5521 output Car Socket (Cigarette Lighter) output Wireless Charge	100V~120V 60Hz: 2*AC 600W (Surge 1800W) (Total) 220V~240V 50Hz: 2*AC 600W (Surge 1800W) (Total) Surge 1800W TYPE-C: 1*100W; 1*60W USB-A: 2*18W 2*12V/10A, 120W max 12V/10A, 120W max N.A.	100V~120V 60Hz: 3*AC 1000W (Total) 220V~240V 50Hz: 2*AC 1000W (Total) N.A. TYPE-C: 2* PD100W USB-A: 2*QC3.0 18W, 2*5V/2.4A 2*12V/5A 12V/10A 10W
Basic information	Weight Dimension Working Temperature	7.6kg 285*209*214mm Charge: -10°C~45°C Discharge: -20°C~45°C	11.2kg 340*235*206mm Charge: -10°C~40°C Discharge: -20°C~45°C
	Mode Ambient Light	Boot mode, Defect mode, charging mode, breathing mode, streaming mode, diffusion mode, monochrome mode, OTA upgrade mode, Bluetooth connection mode.	N.A.
Basic information	APP Monitoring	With Bluetooth or WIFI connection, power capacity detection, function setting, remote control, system upgrade	N.A.
	Certification	CE/FCC, JIS, RoHS2.0, Reach	CE/FCC, ETL, PSE, CB, RCM, ROHS



*experience
more
together*

cfmoto.com/global

ZHEJIANG CFMOTO POWER CO.,LTD.

NO.116,Wuzhou Road,Yuhang Economic Development Zone
Hangzhou 311100,Zhejiang Province.

Tiktok:@cfmoto_official

Facebook:@CFMOTOOFFICIAL

Instagram:@cfmotoofficial

YouTube:CFMOTO